Griffe
Door Handles

SMART

DOOR HANDLE

CATALOG

2026

PREMIUM DESIGNS
FOR MODERN HOMES
BUILT FOR SECURITY



Griffe
Door Handles

MANUFACTURING THE FUTURE OF SMART SECURITY

Innovative smart access solutions engineered for security, reliability, and modern living.



ABOUT US:

At **Griffe**, we believe that security should be seamless, sophisticated, and effortlessly integrated into modern living. As pioneers in premium smart access solutions, we combine **cutting-edge technology, elegant design**, and **uncompromising security** to redefine how you interact with your doors.


Our **Smart Door Handles Collection** is engineered for those who demand both **intelligent functionality** and **refined aesthetics**. Crafted from **advanced materials** and powered by the latest **smart technology**, each handle is a testament to precision, durability, and seamless connectivity, With sieek finishes and full compatibility with global smart home ecosystems, Griffe transforms ordinary entryways into **secure, stylish**, and **future-ready** access points.

More than just hardware, Griffe products are designed to elevate your space—offering **keyless convenience, remote access control**, and **advanced encryption,** all wrapped in a **minimalistic, contemporary design**, Whether for residential elegance or commercial sophistication, our solutions ensure **peace of mind without compromising on style.**

Welcome to the future of intelligent access.
Welcome to Griffe.

Griffe
Door Handles

DESIGNED FOR SECURITY.
BUILT FOR TOMORROW.



Griffe

Door Handles

01

ULTRA SMART LOCK

Advanced technology
meets modern security.
Intelligent access,
ultimate protection.



Griffe
Door Handles

SMART SECURITY



- Fingerprint
- Password
- Card
- Key

0.5s Unlock Time | **100ms** Response Time



ELEGANT SECURITY

ROOM DOOR SMART LOCK

Elegant smart lock designed for hotel rooms, apartments, and modern residential projects. Multiple unlocking methods combined with reliable security and smart connectivity.

MODEL 0203B


MODEL	MATERIAL	USER CAPACITY
0203B	Aluminium Alloy	310 Users

POWER SUPPLY	DOOR THICKNESS	WORKING TEMPERATURE
4×AAA Batteries	40–100 mm	-25°C ~ 70°C

COLOR: Black

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



50 Series Lock Body | 24240 / 6068 Lock Body | 4085 / 4585 Lock Body | 4558 Lock Body | 72 Series Lock Body

50 Series Side Strips Apply 125mm–200mm

Griffe
Door Handles

SMART ROOM SECURITY

Fast Access • Multiple Unlock Methods • Modern Design





Face Basic

Black

ROOM DOOR SMART LOCK


Secure your room with advanced technology and multiple unlocking methods for convenience and peace of mind.

MODEL 0218

MAIN MATERIAL Aluminium alloy	FACE CAPACITY 50	FINGERPRINT / CARD / PASSWORD CAPACITY Total 200
POWER SUPPLY MODE 4*AA / 2500mAh	PRODUCT COLOR Black	PACKING SPECIFICATION 1ctn 10PCS
WHOLE PACKAGE PARAMETERS 0.095m³	WEIGHT OF THE WHOLE CTN 22.6kg	APPLICABLE TEMPERATURE -25°C ~ 70°C
APPLICABLE DOOR THICKNESS 35~55mm		

- Face Unlock (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body
50 series side strips apply 125mm~200mm

24240/6068 lock body

4085/4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles

3D FACE RECOGNITION

Fast Recognition • Enhanced Security • Smart Access Control



0.5s Unlock Time | 100ms Response Time



Face Basic

Black

FULLY AUTOMATIC
3D FACE SMART LOCK


Advanced 3D facial recognition smart lock with intelligent access control, multiple unlocking methods, and premium security features for residential and commercial applications.

MODEL 0108


MODEL 0108	MATERIAL Aluminium Alloy	USER CAPACITY 200 Users
FACE CAPACITY 50 Users	POWER SUPPLY 4200mAh	DOOR THICKNESS 40–120 mm
WORKING TEMPERATURE -25°C ~ 70°C	COLOR Black	WHOLE PACKAGE PARAMETERS 0.059m³
WEIGHT OF THE WHOLE CTN 23.3kg	PACKING SPECIFICATION 1ctn 5PCS	

- Face Unlock (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body

Griffe
Door Handles

PALM VEIN RECOGNITION



Advanced Biometrics • Enhanced Security • Smart Access Control

0.5s Unlock Time | 100ms Response Time



Face Basic

Iron Gray

FULLY AUTOMATIC
3D FACE SMART LOCK


Advanced smart lock combining 3D facial recognition, palm vein authentication, fingerprint access, and intelligent smart control. Designed for premium residential, commercial, and luxury hospitality projects.

MODEL 0118

MODEL	MATERIAL	USER CAPACITY
0118	Aluminium Alloy	200 Users
FACE CAPACITY	**POWER SUPPLY**	**DOOR THICKNESS**
50 Users	4200mAh	40–120 mm
WORKING TEMPERATURE	**COLOR**	**WHOLE PACKAGE PARAMETERS**
-25°C ~ 70°C	Iron Gray	0.059m³
WEIGHT OF THE WHOLE CTN	**PACKING SPECIFICATION**	
27.2kg	1ctn 5PCS	

- Face Unlock (Optional)
- Palm Vein
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya App
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | Lock Body

Griffe
Door Handles

AI FACE & PALM VEIN RECOGNITION

Dual Biometrics • Intelligent Security • Premium Access Control



Face Basic

Iron Gray

FULLY AUTOMATIC
3D FACE SMART LOCK


Smart lock with 3D face recognition and palm vein authentication.

MODEL 0119

MODEL	MATERIAL	USER CAPACITY
0119	Aluminium Alloy	200 Users
FACE CAPACITY	**POWER SUPPLY**	**DOOR THICKNESS**
50 Users	4200mAh	40–120 mm
WORKING TEMPERATURE	**COLOR**	**WHOLE PACKAGE PARAMETERS**
-25°C ~ 70°C	Iron Gray	0.059m³
WEIGHT OF THE WHOLE CTN	**PACKING SPECIFICATION**	
27.7kg	1ctn 5PCS	

- Face Unlock (Optional)
- Palm Vein
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya App
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY




30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | Lock Body

Griffe
Door Handles

SMART APARTMENT SECURITY





Black Wood Grain

Black Wood Grain

FULLY AUTOMATIC
3D FACE SMART LOCK


Smart lock with face recognition and smart connectivity.

MODEL 0126

MODEL	MATERIAL	USER CAPACITY
0126	6063 Alumina	300 Users
FACE CAPACITY	**POWER SUPPLY**	**DOOR THICKNESS**
100 Users	4200mAh	40–120 mm
WORKING TEMPERATURE	**COLOR**	**WHOLE PACKAGE PARAMETERS**
-25°C ~ 50°C	Black / Wood Grain	0.059m³
WEIGHT OF THE WHOLE CTN	**PACKING SPECIFICATION**	
25.05kg	1ctn 5PCS	

- Face Unlocking (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya WIFI/ Bluetooth (Optional)
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | Lock Body

Griffe
Door Handles

AI SMART SECURITY





Black

FULLY AUTOMATIC

3D FACE SMART LOCK


Smart lock with AI face recognition and advanced security.

MODEL 0129

MODEL	MATERIAL	USER CAPACITY
0129	6063 Alumina	400 Users
FACE CAPACITY	**POWER SUPPLY**	**DOOR THICKNESS**
50 Users	4200mAh	40–120 mm
WORKING TEMPERATURE	**COLOR**	**WHOLE PACKAGE PARAMETERS**
-20°C ~ 55°C	Black	0.059m³
WEIGHT OF THE WHOLE CTN	**PACKING SPECIFICATION**	
25.05kg	1ctn 5PCS	

- Face Unlock (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya WIFI/ Bluetooth (Optional)
- USB Emergency Power
- Camera (Optional)
- AI

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | 5572 lock body

Griffe
Door Handles

02

ROOM DOOR SMART LOCK

Advanced technology
meets elegant design.
Secure your space
with intelligent access.



Griffe
Door Handles



SMART ROOM SECURITY



Black Gold Bronze

ADVANCED ACCESS

ROOM DOOR SMART LOCK


Smart lock with multiple access methods and modern security features.

MODEL 0205

MATERIAL: Aluminium Alloy	USER CAPACITY: 200 Users
FACE CAPACITY: 50	POWER SUPPLY: 4×AA
BATTERY CAPACITY: 2500mAh	COLOR: Black / Gold / Bronze
DOOR THICKNESS: 35–55mm	WEIGHT OF THE WHOLE CTN: 22.6kg
PACKING SPECIFICATION: 1ctn 10PCS	WHOLE PACKAGE PARAMETERS: 0.095m³

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body
50 series side strips apply 125mm~200mm

24240 / 6068 lock body

4085 / 4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles



SMART ROOM SECURITY

SAFE & RELIABLE
Advanced Security

SMART ACCESS
Modern Living







Black

SMART CONNECTIVITY

ROOM DOOR SMART LOCK


Secure smart lock with app connectivity and multiple access methods.

MODEL 0210

MODEL 0210	MATERIAL Aluminium Alloy
USER CAPACITY 200 Users	BLUETOOTH / TUYA WIFI Tuya Bluetooth20/ Tuya wifi511
POWER SUPPLY 4×AA	BATTERY 3100mAh Lithium Battery
DOOR THICKNESS 35–55mm	WORKING TEMPERATURE -25°C ~ 70°C
WEIGHT 14.69kg	PACKING 1ctn 10PCS
WHOLE PACKAGE 0.065m³	

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body

50 Series side strips apply 125mm~200mm



24240 / 6068 lock body



4085 / 4585 and above lock body



4558 lock body



72 series lock body

Griffe
Door Handles



SMART ROOM SECURITY

MULTIPLE ACCESS • MODERN SECURITY • SMART CONTROL









Matte Black | Glossy Black | White | Gray

SMART ACCESS CONTROL

ROOM DOOR SMART LOCK


Modern smart lock with multiple access methods and reliable security for hotels and residential projects.

MODEL 0219

MODEL 0219	MATERIAL Aluminium alloy
USER CAPACITY 200 Users	FACE CAPACITY 50
POWER SUPPLY 4×AA	BATTERY CAPACITY 2500mAh
DOOR THICKNESS 35–55mm	WORKING TEMPERATURE –25°C ~ 70°C
COLOR Matte Black / Glossy Black / White / Gray	WEIGHT OF THE WHOLE CTN 22.6kg
PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.095m³

- Face Unlock (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body
50 Series side strips apply 125mm–200mm

24240 / 6068 lock body

4085 / 4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles

SMART ROOM SECURITY

EASY INSTALLATION • SMART ACCESS • MODERN SECURITY







Easy installation, perfect replacement

Black

MODERN SECURITY

ROOM DOOR SMART LOCK


Slim smart lock with fingerprint access and easy replacement installation.

MODEL 0220


MODEL 0220	MATERIAL Aluminium alloy
USER CAPACITY 200 Users	FINGERPRINT / PASSWORD / CARD CAPACITY Total 200
POWER SUPPLY 4×AAA	PACKING SPECIFICATION 1ctn 10PCS
DOOR THICKNESS 35–65mm	WHOLE PACKAGE PARAMETERS 0.088m³
WEIGHT OF THE WHOLE CTN 15kg	COLOR Black
APPLICABLE TEMPERATURE −25°C ~ 70°C	

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Dead Bolt Lock Body

50 series lock body
50 series side strips apply 125mm–200mm

24240 / 6068 lock body

4085 / 4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles

ROOM DOOR SMART LOCK

Advanced Security • Smart Access • Modern Living





Black Stone Slab Golden

ADVANCED ACCESS

ROOM DOOR SMART LOCK


Smart lock with multiple access methods and modern security features.

MODEL 0221

MODEL 0221	MATERIAL Aluminium Alloy
USER CAPACITY 200 Users	FACE CAPACITY 50
POWER SUPPLY 4×AA	BATTERY CAPACITY 2500mAh
COLOR Black / Stone Slab / Golden	DOOR THICKNESS 35–55mm
WORKING TEMPERATURE -25°C ~ 70°C	WHOLE PACKAGE PARAMETERS 0.095m³
WEIGHT OF THE WHOLE CTN 24.85kg	PACKING SPECIFICATION 1ctn 10PCS

- Face Unlock (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Easy installation, perfect replacement

■ Black □ White

MODERN SECURITY

ROOM DOOR SMART LOCK


Smart lock with secure access and easy replacement installation.

MODEL 0222


MODEL 0222	MATERIAL Aluminium alloy	USER CAPACITY Total 200
POWER SUPPLY 4*AAA	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.095m³
WEIGHT OF THE WHOLECTN 15kg	APPLICABLE TEMPERATURE -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 40~120mm

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Dead Bolt Lock Body

50 series lock body
50 series side strips apply 125mm~200mm

24240/6068 lock body

4085/4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time





Easy installation, perfect replacement

SEMI-AUTOMATIC SMART LOCK


Semi-automatic smart lock with secure access.

MODEL 0224

MODEL 0224	MATERIAL Alloy steel	USER CAPACITY Total 300
POWER SUPPLY 4*AA	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.095m³
WEIGHT OF THE WHOLECTN 24.6kg	APPLICABLE TEMPERATURE -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 40~120mm

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body

50 series side strips apply 125mm-200mm

24240/6068 lock body

4085/4585 and above lock body

4558 lock body

72 series lock body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time



Black Black Gold



Easy installation, perfect replacement

SEMI-AUTOMATIC
SMART LOCK


Semi-automatic smart lock with secure access.

MODEL 0209B

MODEL 0209B	MATERIAL Aluminium alloy	USER CAPACITY Total 511
POWER SUPPLY 4*AA	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.065m³
WEIGHT OF THE WHOLE CTN 25.6kg	APPLICABLE TEMPERATURE -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 35–80mm

- Fingerprint
- Password
- Card
- Key
- Temporary password
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



50 series lock body

50 series side strips apply 125mm-200mm

24240/6068 lock body

4085/4585 and above lock body

4558 lock body

72 series lock body

Griffe

Door Handles

03

AUTOMATIC SMART LOCK

Advanced technology
meets elegant design.
Secure your space
with intelligent access.



Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0105B

MODEL 0105B	MATERIAL Aluminum alloy	USER CAPACITY Total 300
FACE CAPACITY 50	POWER SUPPLY 4200mAH	PACKING SPECIFICATION 1ctn 5PCS
WHOLE PACKAGE PARAMETERS 0.059m³	WEIGHT OF THE WHOLECTN 21.05kg	APPLICABLE TEMPERATURE -25°C ~ 55°C
APPLICABLE DOOR THICKNESS 40-120mm	FINGERPRINT/PASSWORD/ CREDIT CARD CAPACITY Total 300	PRODUCT COLOR Black

- Face Unlocking (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya WIFI/ Bluetooth (Optional)
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Gun grey



Easy installation, perfect replacement

FULLY AUTOMATIC

3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0110

MODEL 0110	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY 4200mAH	PACKING SPECIFICATION 1ctn 5PCS
WHOLE PACKAGE PARAMETERS 0.059m³	WEIGHT OF THE WHOLECTN 22.19kg	APPLICABLE TEMPERATURE –25°C ~ 70°C
APPLICABLE DOOR THICKNESS 40–120mm	FINGERPRINT/PASSWORD/ CREDIT CARD CAPACITY Total 200	PRODUCT COLOR Gun grey

- Face Unlocking (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Finger Vein (Optional)
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | 5572 lock body | Lock Body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Gray



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0111

MODEL 0111	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 4200mAh+4200mAh	PACKING SPECIFICATION 1ctn 5PCS
WHOLE PACKAGE PARAMETERS 0.059m³	WEIGHT OF THE WHOLECTN 26kg	APPLICABLE TEMPERATURE -25°C ~ 70°C
APPLICABLE DOOR THICKNESS 40–120mm	FINGERPRINT/PASSWORD/ CREDIT CARD CAPACITY Total 200	PRODUCT COLOR Gray

- Face Unlocking (Optional)
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | 5572 lock body | Lock Body

Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0113

MODEL 0113	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 4200+2500mAH	PACKING SPECIFICATION 1ctn 5PCS
WHOLE PACKAGE PARAMETERS 0.059m³	WEIGHT OF THE WHOLECTN 25.8kg	APPLICABLE TEMPERATURE -25°C ~ 70°C
APPLICABLE DOOR THICKNESS 40–120mm	FINGERPRINT/PASSWORD/ CREDIT CARD CAPACITY Total 200	PRODUCT COLOR Black

- Face Unlocking
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body

Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Mocha brown Grey



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0114


MODEL 0114	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 5000mAh	PACKING SPECIFICATION 1ctn 5PCS
WHOLE PACKAGE PARAMETERS 0.059m³	WEIGHT OF THE WHOLECTN 26.25kg	APPLICABLE TEMPERATURE -25°C ~ 70°C
APPLICABLE DOOR THICKNESS 40–120mm	FINGERPRINT/PASSWORD/ CREDIT CARD CAPACITY Total 200	PRODUCT COLOR Mocha brown/Grey

- Face Unlocking
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Rose gold Snow grey



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 0116

MODEL 0116	Material Aluminium alloy	Fingerprint password credit card capacity Total 200
Face capacity 50	Power supply mode 4200+2500(mAH)	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 23.5kg	Applicable temperature −25°C ~ 70°C
Applicable door thickness 40–120mm	Fingerprint password credit card capacity Total 200	Product color Rose gold Snow grey

- Face Unlocking
- Fingerprint
- password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 24X240 30X240

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Black Wood grain



Easy installation, perfect replacement

FULLY AUTOMATIC

3D FACE SMART LOCK


Advanced 3D face recognition smart lock with intelligent access control and premium security for modern residential projects.

MODEL 0127

MODEL 0127	Material 6063 Alumina	Fingerprint password credit card capacity Total 300
FACE CAPACITY 50	Power supply mode 4200mAh	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 23.55kg	Applicable temperature -25°C ~ 50°C
Applicable door thickness 40–120mm	Fingerprint password credit card capacity Total 300	PRODUCT COLOR Black / Wood grain

- Face Unlocking
- Fingerprint
- password
- Card
- Key
- Temporary password
- Tuya WIFi/ Bluetooth (Optional)
- USB
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 5572 Lock Body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time



Black



Easy installation, perfect replacement

FULLY AUTOMATIC

3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 9004


MODEL 9004	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 4200mAh	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 23kg	Applicable temperature -25°C ~ 70°C
Applicable door thickness 40–120mm	Fingerprint password credit card capacity Total 200	PRODUCT COLOR Black

- Face Unlocking
- Fingerprint
- Password
- Card
- Key
- Temporary Password
- Tuya App
- USB
- Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time

100ms Response Time





Black



Easy installation, perfect replacement

FULLY AUTOMATIC

3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 9005

MODEL 9005	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 4200mAh	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 19.22kg	Applicable temperature -25°C ~ 70°C
Applicable door thickness 40-120mm	Fingerprint password credit card capacity Total 200	Color Black

- Face Unlocking
- Fingerprint
- password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING



0.5s
Unlock Time

100ms
Response Time



Black Black gold



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 9006

MODEL 9006	MATERIAL Aluminium alloy	USER CAPACITY Total 200
Face capacity 50	Power supply mode 4200mAh	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 23.5kg	Applicable temperature -25°C ~ 70°C
Applicable door thickness 40~120mm	Fingerprint password credit card capacity Total 200	Color Black Blackgold

- Face Unlocking
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



Griffe
Door Handles

SMART ROOM SECURITY


• EASY INSTALLATION • SMART ACCESS • MODERN LIVING



0.5s Unlock Time

100ms Response Time

Optional Israeli lock body



Lock Body

Black Black gold



Easy installation, perfect replacement

FULLY AUTOMATIC
3D FACE SMART LOCK


Fully automatic 3D face smart lock with secure access.

MODEL 9007

MODEL 9007	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	Power supply mode 4200mAh	Packing specification 1ctn 5PCS
Whole package parameters 0.059m³	Weight of the whole CTN 25.05kg	Applicable temperature -25°C ~ 70°C
Applicable door thickness 40–120mm	Fingerprint password credit card capacity Total 200	Black/ Black gold

- Face Unlocking
- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB
- Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | 5572 lock body

Griffe

Door Handles

04

SEMI-AUTOMATIC SMARTLOCK

Advanced technology
meets modern security.
Intelligent access,
ultimate protection.



Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Basics



Black Sky grey



Easy installation, perfect replacement

SEMI-AUTOMATIC SMARTLOCK


Semi-automatic smartlock with multiple unlocking options and reliable security for modern living.

MODEL 0104

MODEL 0104	MATERIAL Aluminium alloy	USER CAPACITY Total 200
FACE CAPACITY 50	POWER SUPPLY MODE 4*AA	FACIAL CAT EYE POWER SUPPLY 3200mAh
Whole package parameters 1ctn 5PCS	Weight of the whole CTN 0.059m³	Applicable temperature 18.65kg
Applicable door thickness -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 40-120mm	Fingerprint password credit card capacity Total 200

- Face Unlocking
- Fingerprint
- password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 458S and above lock body | 608S lock body | 5572 lock body

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Black



Easy installation, perfect replacement

SEMI-AUTOMATIC SMARTLOCK


Semi-automatic smartlock with multiple unlocking options and reliable security for modern living.

MODEL 0122

MODEL 0122	MATERIAL Aluminium alloy	USER CAPACITY Total 1270
POWER SUPPLY MODE 8*AA	Packing specification 1ctn 5PCS	WHOLE PACKAGE PARAMETERS 0.048m³
Whole package parameters 20.12kg	Weight of the whole CTN -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 40-120mm
Color Black	Fingerprint password credit card capacity Total 1270	

- Fingerprint
- Password
- Card
- Key
- Temporary password
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388 | 24X240 | 30X240 | 4585 and above lock body | 6085 lock body | 5572 lock body

Griffe

Door Handles

05

ATRESIA

Advanced technology
meets elegant design.
Secure your space
with intelligent access.



Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Matte black Nickel wire drawing

ATRESIA SMARTLOCK


Reliable smartlock with multiple unlocking options for modern security.

MODEL 0304

MODEL 0304	MATERIAL Aluminium alloy	Fingerprint password credit card capacity Total 1250
POWER SUPPLY MODE 4*AA	Packing specification 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.071m³
Weight of the whole CTN 13.5kg	Applicable temperature -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 35-85mm
PRODUCT COLOR Matte black / Nickel wire drawing		

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Dumb lock body

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Matte black Nickel wire drawing



Easy installation, perfect replacement

ATRESIA SMARTLOCK


Reliable smartlock with multiple unlocking options for modern security.

MODEL 0403

MODEL 0403	MATERIAL Aluminium alloy	Fingerprint password credit card capacity Total 1250
Power supply mode 4*AA	Packing specification 1ctn 10PCS	Whole package parameters 0.071m³
Weight of the whole CTN 17.5kg	Applicable temperature -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 35-65mm
PRODUCT COLOR Matte black / Nickel wire drawing		

- Fingerprint
- password
- Card
- Key
- Temporary password
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black | Silver



Easy installation, perfect replacement

ATRESIA SMARTLOCK


Reliable smartlock with multiple unlocking options for modern security.

MODEL 9201

MODEL 9201	Material Aluminium alloy	password capacity 100
Power supply mode 4*AA	Packing specification 1ctn 18PCS	Whole package parameters 0.046m²
Weight of the whole CTN 15.4kg	Applicable temperature -25°C ~ 70°C	Applicable door thickness 35-65mm
PRODUCT COLOR Black / Silver		

- Password
- Temporary password
- Key
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Dumb lock body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time



Black Silver



Easy installation, perfect replacement

ATRESIA SMARTLOCK


Reliable smartlock with multiple unlocking options for modern security.

MODEL 9202

MODEL 9202	MATERIAL Aluminium alloy	Fingerprint password credit card capacity Total 200
Power supply mode 4*AA	Packing specification 1ctn 18PCS	Whole package parameters 0.046m³
Weight of the whole CTN 15.4kg	Applicable temperature -25°C ~ 70°C	Applicable door thickness 35-65mm
PRODUCT COLOR Black / Silver		

- Fingerprint
- Password
- Key
- Temporary password
- Ttlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY




Dumb lock body

Griffe
Door Handles

06

INDOOR
SMART BALL LOCK

Advanced technology
meets elegant design.
Secure your space
with intelligent access.



Griffe
Door Handles

SMART ROOM SECURITY





- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time



Black

INDOOR SMART BALLOCK


Compact and secure smart ball lock for modern indoor spaces.

MODEL 0501

MODEL 0501	MATERIAL Aluminum alloy	Fingerprint capacity 100 pieces
Power supply mode 3 AAA	Packing specification 1ctn 16PCS	Whole package parameters 0.080m³
Weight of the whole CTN 12.2kg	Applicable temperature -25°C ~ 65°C	Applicable door thickness 35-50mm
PRODUCT COLOR Black		

- Fingerprint
- Bluetooth
- Key
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Griffe
Door Handles

SMART ROOM SECURITY

• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Black Silver

INDOOR SMART BALLOCK


Compact and secure smart ball lock for modern indoor spaces.

MODEL 0502

MODEL 0502	MATERIAL Aluminum alloy + Stainless steel	FINGERPRINT CAPACITY 100 pieces
Power supply mode Ternary lithium battery	Packing specification 1ctn 30PCS	WHOLE PACKAGE PARAMETERS
Whole package parameters 0.080m³	Weight of the whole CTN 21.8kg	Applicable temperature -10°C ~ 60°C
Applicable door thickness 35-55mm	PRODUCT COLOR Black / Silver	

Fingerprint
Bluetooth
Key
Tuya App (Optional)
USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black Siiver Gold Brown Gray



Easy installation, perfect replacement

INDOOR SMART BALLOCK


Advanced smart ballock with multiple unlocking options for modern security.

MODEL 0507

MODEL 0507	MATERIAL Aluminum alloy	Cryptographic capacity 100 groups
PRODUCT COLOR Black/silver/ gold/brown/gray	Power supply mode 4*AAA	Packing specification 1ctn 12PCS
Whole package parameters 0.056m³	Weight of the whole CTN 11.76kg	Applicable temperature -25°C~65°C
Applicable door thickness 35-55mm	PRODUCT COLOR OPTIONS Black / Silver / Gold / Brown / Gray	

- Fingerprint
- Password
- Key
- APP unlock
- Ttlock App (Optional)
- Tuya App (Optional)
- USB
- Bluetooth

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Griffe
Door Handles

SMART ROOM SECURITY




- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black Silver



Easy installation, perfect replacement

INDOOR SMART BALLOCK


Advanced indoor smart ballock with multiple unlocking options for modern security.

MODEL 0508

MODEL 0508	MATERIAL Al-mg alloy	CRYPTOGRAPHIC CAPACITY Total 200
PRODUCT COLOR Black/Silver	POWER SUPPLY MODE Built-in lithium battery	PACKING SPECIFICATION 1ctn 12PCS
WHOLE PACKAGE PARAMETERS 0.056m³	WEIGHT OF THE WHOLECTN 11.28kg	APPLICABLE TEMPERATURE -25°C~65°C
APPLICABLE DOOR THICKNESS 35-85mm	PRODUCT COLOR OPTIONS Black / Silver	

- Fingerprint
- Password
- Key
- TTlock App (Optional)
- Tuya App (Optional)
- USB
- Bluetooth

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

Griffe

Door Handles

07

INTERIOR DOOR HANDLE LOCK

Elegant design.
Smooth operation.
Secure your space.



Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black Gray Golden Silver Brown

Easy installation, perfect replacement

INTERIOR DOOR HANDLE LOCK


Smart interior handle lock with multiple unlocking methods for modern security.

MODEL 0604

MODEL 0604	Main material Aluminum alloy	Cryptographic capacity Total 100
PRODUCT COLOR Black/silver/ brown/gold/gray	POWER SUPPLY MODE 4*AAA	Packing specification 1ctn 12PCS
Whole package parameters 0.056m³	Weight of the whole CTN 11.4kg	Applicable temperature -20°C ~ 65°C
Applicable door thickness 35-85mm	COLOR Black / Gray / Golden / Silver / Brown	

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB
- Bluetooth

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body | 50 series lock body | 72 series lock body | 85 lock body | 4558 lock body

50 series side strips apply 125mm-200mm

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black Silver Gray
Brown Champagne gold

Easy installation, perfect replacement

INTERIOR DOOR HANDLE LOCK


Smart interior handle lock with multiple unlocking methods for modern security.

MODEL 0605

MODEL 0605	Main material Aluminium alloy	Cryptographic capacity Total 200
PRODUCT COLOR Black/Silver/ Gray/Champagne gold/Coffee	Power supply mode 4*AAA	Packing specification 1ctn 12PCS
Whole package parameters 0.056m³	Weight of the whole CTN 11.4kg	Applicable temperature -20°C ~ 65°C
Main material 35-65mm	PRODUCT COLOR Black / Silver / Gray / Brown / Champagne gold	

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB
- Bluetooth

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body | 50 series lock body (50 series side strips apply 125mm-200mm) | 72 series lock body | 85 lock body | 85 lock body | 4558 lock body

Griffe
Door Handles

SMART ROOM SECURITY



• EASY INSTALLATION • SMART ACCESS • MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



■ Black



Easy installation, perfect replacement

INTERIOR DOOR HANDLE LOCK


Smart interior handle lock with multiple unlocking methods for modern security.

MODEL 0606

MODEL 0606	Main material Aluminium alloy	Cryptographic capacity Total 200
PRODUCT COLOR Black	Power supply mode 4*AAA	Packing specification 1ctn 20PCS
Whole package parameters 0.069m³	Weight of the whole CTN 15kg	Applicable temperature -25°C ~ 70°C
Main material 40-120mm	PRODUCT COLOR Black	

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body | 50 series lock body (50 series side strips apply 125mm-200mm) | 72 series lock body | 85 lock body | 4558 lock body

Griffe
Door Handles

SMART ROOM SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Black Silver

Easy installation, perfect replacement

INTERIOR DOOR HANDLE LOCK


Smart interior handle lock with multiple unlocking methods for modern security.

MODEL 9401

MODEL 9401	Main material Aluminium alloy	Cryptographic capacity Total 200
PRODUCT COLOR Black/Siliver	Power supply mode 4*AAA	Packing specification 1ctn 20PCS
Whole package parameters 0.069m³	Weight of the whole CTN 15kg	Applicable temperature -25°C ~ 70°C
Main material 35-65mm	PRODUCT COLOR Black / Silver	

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body

50 series lock body
50 series side strips apply 125mm-200mm

72 series lock body

85 lock body


4558 lock body

Griffe

Door Handles

08

INTELLIGENT LOCK CYLINDER



- **Fingerprint Access**
  Fast and secure unlocking
- **Password Protection**
  Anti-peep virtual password
- **Mechanical Key**
  Emergency backup access

Griffe
Door Handles

SMART SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time



Fingerprint head

INTELLIGENT LOCK CYLINDER

Advanced smart cylinder with multiple secure unlocking methods.

MODEL 0704


PRODUCT MODEL 0704	MAIN MATERIAL Aluminium alloy
FINGERPRINT/ PASSWORD CAPACITY 300	CARD CAPACITY 1000
PRODUCT COLOR Black/Silver/Gold	POWER SUPPLY MODE 4×AAA
PACKING SPECIFICATION 1ctn 12PCS	WHOLE PACKAGE PARAMETERS 0.025m³
WEIGHT OF THE WHOLECTN 7.3kg	APPLICABLE TEMPERATURE -20°C~55°C
APPLICABLE DOOR THICKNESS 35-70mm	

- Password
- Fingerprint
- Card
- Key
- APP unlock
- TTlock App (Standard)
- Tuya App (Standard)
- USB



Golden Black Silver

PRODUCT SIZE



OPTIONAL LOCK BODY



Single Tongue Lock Body | 50 series lock body, 50 series side strips apply, 125mm-200mm | 72 series lock body | 85 lock body | 4558 lock body

Griffe
Door Handles

SMART CYLINDER SECURITY



- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Golden Black Silver

INTELLIGENT LOCK CYLINDER


Advanced smart cylinder with multiple secure unlocking methods.

MODEL 0705

MODEL 0705	MATERIAL Aluminium Alloy
USER CAPACITY 1250	POWER SUPPLY 4×AAA
DOOR THICKNESS 35–70 mm	WORKING TEMPERATURE −20°C ~ 55°C
PACKING SPECIFICATION 1ctn 12PCS	PRODUCT COLOR Black / Silver / Gold

- Password
- Key
- APP Unlock
- Card
- TTLock App
- Tuya App
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY

N/A

Not Applicable for this product

Griffe

Door Handles

09

WIRE-FREE FINGERPRINT SWIPE CARD LOCK



- **Fingerprint Access**
  Fast and accurate recognition
- **Swipe Card Unlock**
  Convenient and contactless
- **Long Battery Life**
  Low power consumption

Griffe
Door Handles

WIRE-FREE FINGERPRINT SWIPE CARD LOCK

- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time

100ms Response Time





Stainless Steel Black

WIRE-FREE FINGERPRINT SWIPE CARD LOCK


Advanced wire-free smart lock with multiple secure unlocking methods.

MODEL 0801

MODEL 0801	MATERIAL Aluminium alloy
USER CAPACITY Total 200	POWER SUPPLY 4×AA
PRODUCT COLOR Black / Stainless Steel	PACKING SPECIFICATION 1ctn 12PCS
WHOLE PACKAGE VOLUME 0.065m³	WEIGHT OF THE WHOLECTN 18.5kg
APPLICABLE TEMPERATURE -20°C ~ 70°C	APPLICABLE DOOR THICKNESS 40–120mm

- Fingerprint
- Password
- Card
- Key
- Temporary Password
- TTLock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY

N/A

Not Applicable for this product

Griffe
Door Handles

WIRE-FREE FINGERPRINT SWIPE CARD LOCK

- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Stainless Steel Black

WIRE-FREE FINGERPRINT SWIPE CARD LOCK


Advanced wire-free smart lock with multiple secure unlocking methods.

MODEL 0802

MODEL 0802	MATERIAL Aluminium alloy
USER CAPACITY Total 300	POWER SUPPLY 4×AA
PRODUCT COLOR Black / Stainless Steel	PACKING SPECIFICATION 1ctn 12PCS
WHOLE PACKAGE VOLUME 0.065m³	WEIGHT OF THE WHOLECTN 17.5kg
APPLICABLE TEMPERATURE -20°C ~ 70°C	APPLICABLE DOOR THICKNESS 40–120mm

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY

N/A

Not Applicable for this product

Griffe
Door Handles

WIRE-FREE FINGERPRINT SWIPE CARD LOCK


- EASY INSTALLATION
- SMART ACCESS
- MODERN LIVING

0.5s Unlock Time | **100ms** Response Time





Fingerprint Edition Basics



Black

WIRE-FREE FINGERPRINT SWIPE CARD LOCK


Advanced wire-free smart lock with multiple secure unlocking methods.

MODEL 0804

MODEL 0804	MATERIAL Aluminium alloy
USER CAPACITY Total 100	POWER SUPPLY 4×AA
PRODUCT COLOR Black	PACKING SPECIFICATION 1ctn 10PCS
WHOLE PACKAGE VOLUME 0.056m³	WEIGHT OF THE WHOLECTN 16.2kg
APPLICABLE TEMPERATURE -25°C ~ 70°C	APPLICABLE DOOR THICKNESS 40-120mm

- Fingerprint
- Password
- Card
- Key
- Temporary password
- Tuya App
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY

N/A

Not Applicable for this product

Griffe

Door Handles

10

BROKEN BRIDGE ALUMINUM SMART LOCK

Strong. Smart. Secure.
Redefining access control.



Griffe
Door Handles

SMART SECURITY



- Fingerprint
- Password
- Card
- Key

0.5s Unlock Time

100ms Response Time



Black Silver

SEMI-AUTOMATIC BRIDGE BREAKING ALUMINUM SMART LOCK


Semi-automatic smart lock with bridge breaking technology for enhanced security and modern living.

MODEL 0902

MODEL 0902	MATERIAL Aluminium alloy	USER CAPACITY Total 200
POWER SUPPLY 4xAAA	PRODUCT COLOR Black/Silver	PACKING SPECIFICATION 1ctn 10PCS
WHOLE PACKAGE PARAMETERS 0.13m³	WEIGHT OF THE WHOLE CTN 21.2kg	Applicable temperature -30°C ~ 60°C
APPLICABLE DOOR THICKNESS 30-120mm		

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTLock App (Optional)
- Tuya App (Optional)
- USB Emergency Power
- Camera (Optional)

PRODUCT SIZE



OPTIONAL LOCK BODY



85 series multi-point lock body | 85 series single point lock body | 85 double channel series single point lock body | 85 double-channel series multi-point lock body | 92 series single point lock body

50 Series Side Strips Apply 125mm~200mm

Griffe
Door Handles

ADVANCED ACCESS SMARTER PROTECTION

Secure every entry with intelligent technology and modern design.



0.5s Unlock Time | 100ms Response Time



Golden Black Silver

SEMI-AUTOMATIC BRIDGE BREAKING ALUMINUM SMART LOCK


Semi-automatic smart lock with bridge breaking technology for enhanced security and modern living.

MODEL 0905

Main material: Aluminium alloy	Cryptographic capacity: Total 200	Power supply mode: 4×AAA
PRODUCT COLOR: Black/Golden/Silver	Packing specification: 1ctn 10PCS	Whole package parameters: 0.13m³
Weight of the whole CTN: 20.7kg	Applicable temperature: -20°C~70°C	Applicable door thinkness: 30–120mm

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTLock App (Optional)
- Tuya App (Optional)
- USB Emergency Power

PRODUCT SIZE



OPTIONAL LOCK BODY



85 series multi-point lock body | 85 series single point lock body | 85 double channel series single point lock body | 85 double-channel series multi-point lock body | 92 series single point lock body

50 Series Side Strips Apply 125mm~200mm

Griffe
Door Handles

ADVANCED ACCESS
SMARTER PROTECTION

Secure every entry with intelligent technology and modern design.



0.5s
Unlock Time

100ms
Response Time



Optional low handles for front and rear

Black

SEMI-AUTOMATIC BRIDGE BREAKING ALUMINUM SMART LOCK


Semi-automatic smart lock with bridge breaking technology for enhanced security and modern living.

MODEL 0907

MATERIAL Aluminium alloy	FINGERPRINT/CARD CAPACITY Total 300	POWER SUPPLY MODE 4×AAA
PRODUCT COLOR Black	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.13m³
WEIGHT OF THE WHOLE CTN 19.4kg	APPLICABLE TEMPERATURE -20°C~70°C	APPLICABLE DOOR THICKNESS 30~120mm

- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTlock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



85 series multi-point lock body

85 series single point lock body

85 double channel series single point lock body

85 double-channel series multi-point lock body

92 series single point lock body

Griffe
Door Handles

INTELLIGENT ENTRY
NEXT LEVEL SECURITY

Advanced recognition technology
for a safer and smarter life.



0.5s
Unlock Time

100ms
Response Time



Black Silver

SEMI-AUTOMATIC
BRIDGE BREAKING ALUMINUM SMART LOCK


Smart lock with face recognition and
palm vein authentication.

MODEL 0908

MATERIAL Aluminium alloy	USER CAPACITY Total 200	FACE CAPACITY 50
POWER SUPPLY 3000mAh	PRODUCT COLOR Black / Silver	PACKING SPECIFICATION 1ctn 10PCS
WHOLE PACKAGE PARAMETERS 0.13m³	WEIGHT OF THE WHOLE CTN 22.95kg	APPLICABLE TEMPERATURE -25°C~70°C
APPLICABLE DOOR THICKNESS 30~120mm	MODEL 0908	USB Emergency Power

- Face Unlocking
- Palm Vein
- Fingerprint
- Password
- Card
- Key
- Temporary password
- TTLock App (Optional)
- Tuya App (Optional)
- USB

PRODUCT SIZE



OPTIONAL LOCK BODY



85 series multi-point lock body

85 series single point lock body

85 double channel series single point lock body

85 double-channel series multi-point lock body

92 series single point lock body

Griffe

Door Handles

11

GLASS DOOR SMART LOCK



Griffe
Door Handles

MODERN GLASS ACCESS
SMART & SECURE ENTRY

Elegant smart lock designed for glass doors with secure and convenient access.



0.5s
Unlock Time

100ms
Response Time





GLASS DOOR
SMART LOCK

Elegant smart lock designed for glass doors with secure and convenient access.


MODEL 1101

MATERIAL Aluminium alloy	USER CAPACITY Total 200	PRODUCT COLOR Gray
POWER SUPPLY 4×AAA	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.057m³
WEIGHT OF THE WHOLE CTN 14.58kg	APPLICABLE TEMPERATURE -20°C~70°C	APPLICABLE DOOR THICKNESS 8–12mm

Fingerprint · Password · Card · Key

Temporary password · Remote control (Optional) · Tuya App · USB

PRODUCT SIZE



Griffe
Door Handles

SLEEK GLASS ACCESS
SMART & SECURE ENTRY

Modern smart lock designed for glass doors with advanced security and easy access.



0.5s Unlock Time

100ms Response Time




GLASS DOOR SMART LOCK

Modern smart lock designed for glass doors with advanced security and easy access.

MODEL 1105

MATERIAL Aluminium alloy	USER CAPACITY Total 200	PRODUCT COLOR Black
POWER SUPPLY 4×AAA	PACKING SPECIFICATION 1ctn 10PCS	WHOLE PACKAGE PARAMETERS 0.057m³
WEIGHT OF THE WHOLE CTN 14.58kg	APPLICABLE TEMPERATURE -20°C~70°C	APPLICABLE DOOR THICKNESS 8-12mm

PRODUCT SIZE



Fingerprint · Password · Card · Temporary password

Remote control (Optional) · Tuya App · USB

Griffe

Door Handles

12

PADLOCK



Griffe
Door Handles

SMART PROTECTION ANYTIME, ANYWHERE

Compact smart padlock with fingerprint access, durable construction, and reliable security for personal and commercial use.



0.5s
Unlock Time

100ms
Response Time



Black


PADLOCK

MODEL 1004

- MATERIAL: Aluminium Alloy
- FINGERPRINT CAPACITY: 50
- PRODUCT COLOR: Black
- POWER SUPPLY: 500mAh Lithium Battery
- PACKING SPECIFICATION: 1ctn 20PCS
- WHOLE PACKAGE PARAMETERS: 0.015m³
- WEIGHT OF WHOLE CTN: 12.5kg
- WORKING TEMPERATURE: -20°C ~ 70°C

Fingerprint
Key
USB
TTLock App (Optional)
Tuya App (Optional)

PRODUCT SIZE





Black


PADLOCK

MODEL 1005

- MATERIAL: Zinc Alloy
- FINGERPRINT CAPACITY: 20
- PRODUCT COLOR: Black
- POWER SUPPLY: 2 × CR2032 Batteries
- PACKING SPECIFICATION: 1ctn 20PCS
- WHOLE PACKAGE PARAMETERS: 0.011m³
- WEIGHT OF WHOLE CTN: 6.5kg
- WATERPROOF RATING: IP67
- WORKING TEMPERATURE: -20°C ~ 70°C

Fingerprint
Key
FCC
EMC
RoHS ROHS


PRODUCT SIZE



Griffe
Door Handles

SMART SECURITY MADE SIMPLE

Advanced smart padlocks with multiple access options for everyday security.



0.5s Unlock Time

100ms Response Time



Black


PADLOCK

MODEL 1007

- Material: Zinc Alloy
- Passwords: 10
- Color: Black
- Power Supply: 2×CR2032
- Packing: 1ctn 20PCS
- Package Parameters: 0.011m³
- Weight: 6.5kg
- Working Temperature: -20°C–70°C
- Waterproof Rating: IP67

Key
Password
FCC
EMC
RoHS

PRODUCT SIZE





Black


PADLOCK

MODEL 1008

- Material: Zinc Alloy
- Capacity: 120
- Color: Black
- Power Supply: 2×CR2032
- Packing: 1ctn 20PCS
- Package Parameters: 0.011m³
- Weight: 6.5kg
- Working Temperature: -20°C–70°C
- Waterproof Rating: IP67

Fingerprint
Key
Tuya App (Optional)
FCC
EMC
RoHS

PRODUCT SIZE



Griffe

Door Handles

13


HOTEL SWIPE CARD LOCK



Griffe
Door Handles

INTELLIGENT HOSPITALITY
HOTEL SECURITY REDEFINED

Professional hotel card lock designed for modern hospitality environments.



0.5s
Unlock Time

100ms
Response Time



Sandy gold | Steel color | Black

HOTEL SWIPE CARD LOCK

Professional hotel card lock for secure and efficient guest access.

MODEL 1203


Product Model: 1203	Main Material: Stainless Steel
Credit Card Capacity: Unlimited	Product Color: Placer Gold / Alight / Black
Power Supply: 4×AA	Packing Specification: 1ctn 6PCS
Whole Package Parameters: 0.083m³	Weight Of Whole CTN: 16.8kg
Applicable Temperature: -20°C~70°C	Applicable Door Thickness: 38~50mm

Card

Key

ACCESSORIES



White Card



Color Card


Card Sender

PRODUCT SIZE



OPTIONAL LOCK BODY



Griffe
Door Handles

INTELLIGENT HOSPITALITY
HOTEL SECURITY REDEFINED

Professional hotel card lock designed for modern hospitality environments.

0.5s Unlock Time | **100ms** Response Time




Black


Coffee copper

HOTEL SWIPE CARD LOCK

Professional hotel card lock for secure and efficient guest access.

MODEL 1205

Product Model: 1205	Main Material: Aluminum alloy steel
Credit Card Capacity: Unlimited	Product Color: Black / Coffee copper
Power Supply Mode: 4×AA	Packing Specification: 1ctn 6PCS
Whole Package Parameters: 0.083m³	Weight of the whole CTN: 16kg
Applicable Temperature: -20°C~70°C	Applicable door thickness: 38–50mm

Card

Key

ACCESSORIES


White Card

CUSTOMIZED LOGO
Color Card


Card Sender

OPTIONAL LOCK BODY


30/40X38B


24X240



30X240


4585 and single lock body


6085 lock body


Lock Body

PRODUCT SIZE



Griffe
Door Handles

INTELLIGENT HOSPITALITY
HOTEL SECURITY REDEFINED

Professional hotel card lock designed for modern hospitality environments.

0.5s Unlock Time | **100ms** Response Time





Coffee brown | Black

HOTEL SWIPE CARD LOCK

Professional hotel card lock for secure and efficient guest access.


MODEL 1206

Product Model: 1206	Main Material: Aluminum alloy steel
Credit Card Capacity: Unlimited	Product Color: Black / Coffee brown
Power Supply Mode: 4×AA	Packing Specification: 1ctn 6PCS
Whole Package Parameters: 0.083m³	Weight of the whole CTN: 16.8kg
Applicable Temperature: −20°C~70°C	Applicable door thickness: 38–50mm

Card

Key


ACCESSORIES



OPTIONAL LOCK BODY



PRODUCT SIZE



Griffe
Door Handles


INTELLIGENT HOSPITALITY
HOTEL SECURITY REDEFINED

Professional hotel card lock designed for modern hospitality environments.

0.5s Unlock Time | **100ms** Response Time











Sandy gold | Alight | Black

HOTEL SWIPE CARD LOCK

Professional hotel card lock for secure and efficient guest access.

MODEL 1207


Product Model 1207	**Main Material** Zinc alloy
Credit Card Capacity Unlimited	**Product Color** Placer gold/ Alight/Black
Power Supply Mode 4×AA	**Packing Specification** 1ctn 6PCS
Whole Package Parameters 0.083m³	**Weight of the whole CTN** 22.9kg
Applicable Temperature -20°C~70°C	**Applicable door thickness** 38–50mm

Card

Key

ACCESSORIES


White Card




Color Card


Card Sender

OPTIONAL LOCK BODY



PRODUCT SIZE



Griffe

Door Handles

14

REAR PANEL



Griffe
Door Handles

INTELLIGENT HOSPITALITY
HOTEL SECURITY REDEFINED

Advanced smart door locks designed for modern hospitality environments.

0.5s Unlock Time | **100ms** Response Time





68 Basic StylesK-2201	68 Premium K-2202	72/85/90 Premium K-2203	72/85/90 Premium K-2204	72/85/90 Premium K-2205

Griffe

Door Handles

15

LOCK BODY/LOCK FRAME SERIES






LOCK BODY SERIES

PROFESSIONAL SECURITY COMPONENTS


High quality lock bodies designed for smart lock applications and commercial security systems.



1401

388 × 30 mm


60/70/75/80/8568



1402

388 × 40 mm


60/70/75/80/8568



1403

240 × 30 mm


60/70/75/80/8568



1404

240 × 24 mm


60/70/75/80/8568



6085

60 × 85 mm

TURKISH SPECIAL LOCK BODY



6590

65 × 90 mm


SPECIAL LOCK BODY


Griffe
Door Handles

85 SERIES LOCK BODY


PROFESSIONAL SECURITY COMPONENTS

High quality lock bodies designed for smart lock applications and commercial security systems.







1405
240 × 22 mm




1406
240 × 22 mm




1407
240 × 22 mm




1408
240 × 22 mm




1409
240 × 22 mm




1410
240 × 22 mm




1411
240 × 22 mm



1412
240 × 22 mm



1413
240 × 22 mm




1414
240 × 22 mm



1415
240 × 22 mm



1416
240 × 22 mm



1417
240 × 22 mm

Griffe
Door Handles


MULTI SERIES LOCK BODY

92 SERIES • 72 SERIES • SPECIAL LOCK BODIES


High quality lock bodies designed for smart lock applications and commercial security systems.




92 SERIES




1424
30 × 92 mm



1425
30 × 92 mm



1426
34 × 92 mm



1427
34 × 92 mm

72 SERIES



1437
235 × 22 mm



1438
235 × 20 mm



1439
235 × 22 mm



1440
235 × 22 mm

OTHER LOCK BODY SERIES

Single Tongue Lock Body




1441
60-70 mm

Dead Bolt Lock Body



1442
60 mm



1444
4558 lock body

Griffe
Door Handles

50 SERIES LOCK BODY

PROFESSIONAL SECURITY COMPONENTS

High quality lock bodies designed for smart lock applications and commercial security systems.







1428
125 × 22 mm






1429
147 × 22 mm





1430
160 × 22 mm






1431
165 × 22 mm





1432
170 × 22 mm







1433
175 × 22 mm






1434
180 × 22 mm





1435
190 × 22 mm





1436
200 × 22 mm

Griffe
Door Handles

LOCK FRAME SERIES

PROFESSIONAL INSTALLATION FRAMES

High quality lock frames designed for smart lock installation and display applications.





1601

Dimensions high 440
chassis wide 240
Suitable for single tongue lock body/single lock



1623

Dimensions high 400
chassis wide 250
Suitable for Bull Head Lock



1624

Dimensions high 360
chassis wide 225
Suitable for Glass Lock



1603

Dimensions high 440
chassis wide 240
Suitable for 50 lock body single lock



1610

Size height 600
chassis width 240
Applicable 6068 lock body 24*240/single lock



1606

Size height 600
chassis width 240
Applicable 3585 lock body/single lock

Griffe

Door Handles

16

CUSTOMIZED SERVICE/ ACCESSORIES



Lock The Silk Screen



Custom Lock Holder



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box


Griffe
Door Handles

CUSTOMIZED SERVICE

TAILORED SOLUTIONS FOR YOUR PROJECTS

We provide a wide range of customized services to meet your needs, from design to packaging.





Opening Diagram



Key



Instruction Manual



Label Lock Body



Special Drip Card



Hotel Card



Back Screen



Lock The Silk Screen



Custom Lock Holder



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box



KK Kraft paper entry door lock paper box

Griffe
Door Handles

ACCESSORIES

ESSENTIAL ACCESSORIES FOR SMART LOCK SYSTEMS

High quality accessories designed to enhance performance and ensure reliable operation.





Special anti-collision stickers



Special lithium battery (3500/4200/5000mAh)



Small lithium battery (2500mAh)



Special data cable



Certificate of Conformity



Back Screen

Griffe

Door Handles

(+86) 177 6994 2739

doorhandles@griffeworld.com

www.griffeworld.com

WeChat

WhatsApp